


# 螺纹 / 切槽 / 切断

Threading Inserts Parting &  
Grooving Inserts



C 螺纹切断切槽 Threading Inserts Parting & Grooving Inserts

## 螺纹 / 切槽 / 切断

Threading Inserts Parting & Grooving Inserts

| 刀片外形<br>Shape                                                                       | 型 号<br>Style | 基本尺寸 Basic dimension(mm) |     |      |      | 牌 号 Grade |        |        |        |        |
|-------------------------------------------------------------------------------------|--------------|--------------------------|-----|------|------|-----------|--------|--------|--------|--------|
|                                                                                     |              | L                        | W   | d    | r    | CJ1005    | CJ1015 | CJ2010 | CJ2020 | CJ4005 |
|    | MGMN150-G    | 16.0                     | 1.5 | 1.2  | 0.15 | •         | •      |        |        |        |
|                                                                                     | MGMN200-G    | 16.0                     | 2.0 | 1.6  | 0.2  | •         | •      |        |        |        |
|                                                                                     | MGMN250-G    | 18.5                     | 2.5 | 2    | 0.2  | •         | •      |        |        |        |
|                                                                                     |              |                          |     |      |      |           |        |        |        |        |
|    | MGMN200-H    | 16.0                     | 2.0 | 1.6  | 0.2  | •         | •      |        |        |        |
|                                                                                     | MGMN300-H    | 21.0                     | 3.0 | 2.35 | 0.4  | •         | •      |        |        |        |
|                                                                                     | MGMN400-H    | 21.0                     | 4.0 | 3.3  | 0.4  | •         | •      |        |        |        |
|                                                                                     | MGMN500-H    | 26.0                     | 5.0 | 4.1  | 0.8  | •         | •      |        |        |        |
|    | MGMN200-T    | 16.0                     | 2.0 | 1.6  | 0.2  | •         | •      |        |        |        |
|                                                                                     | MGMN300-T    | 21.0                     | 3.0 | 2.35 | 0.4  | •         | •      |        |        |        |
|                                                                                     | MGMN400-T    | 21.0                     | 4.0 | 3.3  | 0.4  | •         | •      |        |        |        |
|                                                                                     |              |                          |     |      |      |           |        |        |        |        |
|  | MGMN300-M    | 21.0                     | 3.0 | 2.35 | 0.4  | •         | •      |        |        |        |
|                                                                                     | MGMN400-M    | 21.0                     | 4.0 | 3.3  | 0.4  | •         | •      |        |        |        |
|                                                                                     | MGMN500-M    | 26.0                     | 5.0 | 4.1  | 0.8  | •         | •      |        |        |        |
|                                                                                     | MGMN600-M    | 26.0                     | 6.0 | 5    | 0.8  | •         | •      |        |        |        |
|  | MGGN300-JMH  | 21.0                     | 3.0 | 2.35 | 0.4  | •         | •      |        |        |        |
|                                                                                     | MGGN400-JMH  | 21.0                     | 4.0 | 3.3  | 0.4  | •         | •      |        |        |        |
|                                                                                     |              |                          |     |      |      | •         | •      |        |        |        |

## 螺纹 / 切槽 / 切断

Threading Inserts Parting & Grooving Inserts

| 刀片外形<br>Shape                                                                       | 型 号<br>Style | 基本尺寸 Basic dimension(mm) |     |     | 牌 号 Grade |        |        |        |        |
|-------------------------------------------------------------------------------------|--------------|--------------------------|-----|-----|-----------|--------|--------|--------|--------|
|                                                                                     |              | IC                       | T   | d   | CJ1005    | CJ1015 | CJ2010 | CJ2020 | CJ4005 |
|    | 16IR1.5      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16ER1.5      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16IR2.0      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16ER2.0      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16IR3.0      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16ER3.0      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|    | 16IRAG55     | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16ERAG55     | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16IRAG60     | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16ERAG60     | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     |              |                          |     |     |           |        |        |        |        |
|  | 16IR11W      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16ER11W      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16IR14W      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     | 16ER14W      | 9.525                    | 3.5 | 4.0 | •         | •      |        |        |        |
|                                                                                     |              |                          |     |     |           |        |        |        |        |