




车削刀片


Turning Inserts



车削刀片

Turning Inserts


A 车削刀片 Turning Inserts

刀片外形 Shape	型 号 Style	基本尺寸 Basic dimension(mm)				牌 号 Grade				
		IC	T	D	R	CJ1010	CJ1015	CJ2010	CJ2020	CJ4005
	CCMT060204-MA	6.35	3.97	2.8	0.4	•	•			
	CCMT060208-MA	6.35	3.97	2.8	0.8	•	•			
	CCMT09T304-MA	9.525	3.97	4.4	0.4	•	•			
	CCMT09T308-MA	9.525	3.97	4.4	0.8	•	•			
	CCMT120404-MA	12.70	4.76	5.5	0.4	•	•			
	CCMT120408-MA	12.70	4.76	5.5	0.4	•	•			
	DCMT070204-MA	6.35	2.38	2.8	0.4	•	•			
	DCMT070208-MA	6.35	2.38	2.8	0.8	•	•			
	DCMT11T304-MA	9.525	3.97	4.4	0.4	•	•			
	DCMT11T308-MA	9.525	3.97	4.4	0.8	•	•			
	SCMT09T304-MA	9.525	3.97	4.4	0.4	•	•			
	SCMT09T308-MA	9.525	3.97	4.4	0.8	•	•			
	TCMT090204-MA	5.56	2.38	2.5	0.4	•	•			
	TCMT090208-MA	5.56	2.38	2.5	0.8	•	•			
	TCMT110204-MA	6.35	2.38	2.8	0.4	•	•			
	TCMT110208-MA	6.35	2.38	2.8	0.8	•	•			
	TCMT16T304-MA	9.525	3.97	4.4	0.4	•	•			
	TCMT16T308-MA	9.525	3.97	4.4	0.8	•	•			
	VBMT160404-MA	9.525	4.76	4.4	0.4	•	•			
	VBMT160408-MA	9.525	4.76	4.4	0.8	•	•			
	CNMG120404-MA	12.70	4.76	5.16	0.4	•	•			
	CNMG120408-MA	12.70	4.76	5.16	0.8	•	•			
	CNMG120412-MA	12.70	4.76	5.16	1.2	•	•			

车削刀片

Turning Inserts

A 车削刀片 Turning Inserts

刀片外形 Shape	型 号 Style	基本尺寸 Basic dimension(mm)				牌 号 Grade				
		IC	T	D	R	CJ1010	CJ1015	CJ2010	CJ2020	CJ4005
	DNMG150404-MA	12.70	4.76	5.16	0.4	•	•			
	DNMG150408-MA	12.70	4.76	5.16	0.8	•	•			
	DNMG150412-MA	12.70	4.76	5.16	1.2	•	•			
	DNMG150604-MA	12.70	6.35	5.16	0.4	•	•			
	DNMG150608-MA	12.70	6.35	5.16	0.8	•	•			
	DNMG150612-MA	12.70	6.35	5.16	1.2	•	•			
	SNMG120404-MA	12.70	4.76	5.16	0.4	•	•			
	SNMG120408-MA	12.70	4.76	5.16	0.8	•	•			
	SNMG120412-MA	12.70	4.76	5.16	1.2	•	•			
	TNMG160404-MA	9.525	4.76	3.91	0.4	•	•			
	TNMG160408-MA	9.525	4.76	3.91	0.8	•	•			
	TNMG160412-MA	9.525	4.76	3.91	1.2	•	•			
	VNMG160404-MA	9.525	4.76	3.81	0.4	•	•			
	VNMG160408-MA	9.525	4.76	3.81	0.8	•	•			
	VNMG160412-MA	9.525	4.76	3.81	1.2	•	•			
	WNMG080404-MA	12.70	4.76	5.16	0.4	•	•			
	WNMG080408-MA	12.70	4.76	5.16	0.8	•	•			
	WNMG080412-MA	12.70	4.76	5.16	1.2	•	•			
	DCMT070202-MV	6.35	2.38	2.8	0.2	•	•			
	DCMT070204-MV	6.35	2.38	2.8	0.4	•	•			
	DCMT070208-MV	6.35	2.38	2.8	0.8	•	•			
	DCMT11T304-MV	9.525	3.97	4.4	0.4	•	•			
	DCMT11T308-MV	9.525	3.97	4.4	0.8	•	•			

车削刀片


Turning Inserts

刀片外形 Shape	型 号 Style	基本尺寸 Basic dimension(mm)				牌 号 Grade				
		IC	T	D	R	CJ1010	CJ1015	CJ2010	CJ2020	CJ4005
	TPMH110304-MV	6.35	3.18	3.5	0.4	•	•			
	TPMH110308-MV	6.35	3.18	3.5	0.8	•	•			
	VBMT110304-MV	6.35	3.18	2.81	0.4	•	•			
	VBMT110308-MV	6.35	3.18	2.81	0.8	•	•			
	VBMT160404-MV	9.525	4.76	4.4	0.4	•	•			
	VBMT160408-MV	9.525	4.76	4.4	0.8	•	•			
	TNMG160404-BF	9.525	4.76	3.91	0.4	•	•			
	TNMG160408-BF	9.525	4.76	3.91	0.8	•	•			
	WNMG080404-BF	12.70	4.76	5.16	0.4	•	•			
	WNMG080408-BF	12.70	4.76	5.16	0.8	•	•			
	TNMG160404-MS	9.525	4.76	3.91	0.4	•	•			
	TNMG160408-MS	9.525	4.76	3.91	0.8	•	•			
	WNMG080404-MS	12.70	4.76	5.16	0.4	•	•			
	WNMG080408-MS	12.70	4.76	5.16	0.8	•	•			
	TBMT060102-DP	3.97	1.65	2.30	0.2	•	•			
	TBMT060104-DP	3.97	1.65	2.30	0.4	•	•			

车削刀片


Turning Inserts

A 车削刀片 Turning Inserts

刀片外形 Shape	型 号 Style	基本尺寸 Basic dimension(mm)				牌 号 Grade				
		IC	T	D	R	CJ1010	CJ1015	CJ2010	CJ2020	CJ4005
	WBMT060102L-DP	3.97	1.65	2.30	0.2	•	•			
	WBMT060104L-DP	3.97	1.65	2.30	0.4	•	•			
	CNMG120404-TM	12.70	4.76	5.16	0.4				•	•
	CNMG120408-TM	12.70	4.76	5.16	0.8				•	•
	CNMG120412-TM	12.70	4.76	5.16	1.2				•	•
									•	•
	DNMG150404-TM	12.70	4.76	5.16	0.4				•	•
	DNMG150408-TM	12.70	4.76	5.16	0.8				•	•
	DNMG150412-TM	12.70	4.76	5.16	1.2				•	•
	DNMG150604-TM	12.70	6.35	5.16	0.4				•	•
	DNMG150608-TM	12.70	6.35	5.16	0.8				•	•
	DNMG150612-TM	12.70	6.35	5.16	1.2				•	•
	SNMG120404-TM	12.70	4.76	5.16	0.4				•	•
	SNMG120408-TM	12.70	4.76	5.16	0.8				•	•
	SNMG120412-TM	12.70	4.76	5.16	1.2				•	•
	TNMG160404-TM	9.525	4.76	3.91	0.4				•	•
	TNMG160408-TM	9.525	4.76	3.91	0.8				•	•
	TNMG160412-TM	9.525	4.76	3.91	1.2				•	•
	VNMG160404-TM	9.525	4.76	3.81	0.4				•	•
	VNMG160408-TM	9.525	4.76	3.81	0.8				•	•
	VNMG160412-TM	9.525	4.76	3.81	1.2				•	•
	WNMG080404-TM	12.70	4.76	5.16	0.4				•	•
	WNMG080408-TM	12.70	4.76	5.16	0.8				•	•
	WNMG080412-TM	12.70	4.76	5.16	1.2				•	•

车削刀片

Turning Inserts

刀片外形 Shape	型 号 Style	基本尺寸 Basic dimension(mm)				牌 号 Grade				
		IC	T	D	R	CJ1010	CJ1015	CJ2010	CJ2020	CJ4005
	CNMG120404-43	12.70	4.76	5.16	0.4			•	•	
	CNMG120408-43	12.70	4.76	5.16	0.8			•	•	
	CNMG120412-43	12.70	4.76	5.16	1.2			•	•	
	TNMG160404-43	9.525	4.76	3.91	0.4			•	•	
	TNMG160408-43	9.525	4.76	3.91	0.8			•	•	
	TNMG160412-43	9.525	4.76	3.91	1.2			•	•	
	VNMG160404-43	9.525	4.76	3.81	0.4			•	•	
	VNMG160408-43	9.525	4.76	3.81	0.8			•	•	
	VNMG160412-43	9.525	4.76	3.81	1.2			•	•	
	WNMG080404-43	12.70	4.76	5.16	0.4			•	•	
	WNMG080408-43	12.70	4.76	5.16	0.8			•	•	
	WNMG080412-43	12.70	4.76	5.16	1.2			•	•	
	SNMG120404R-S	12.70	4.76	5.16	0.4			•	•	
	SNMG120408R-S	12.70	4.76	5.16	0.8			•	•	
	SNMG120404L-S	12.70	4.76	5.16	0.4			•	•	
	SNMG120408L-S	12.70	4.76	5.16	0.8			•	•	
	TNMG160404R-S	9.525	4.76	3.91	0.4			•	•	
	TNMG160408R-S	9.525	4.76	3.91	0.8			•	•	
	TNMG160404L-S	9.525	4.76	3.91	0.4			•	•	
	TNMG160408L-S	9.525	4.76	3.91	0.8			•	•	
	WNMG080404R-S	12.70	4.76	5.16	0.4			•	•	
	WNMG080408R-S	12.70	4.76	5.16	0.8			•	•	
	WNMG080404L-S	12.70	4.76	5.16	0.4			•	•	
	WNMG080408L-S	12.70	4.76	5.16	0.8			•	•	

车削刀片

Turning Inserts

A 车削刀片 Turning Inserts

刀片外形 Shape	型 号 Style	基本尺寸 Basic dimension(mm)				牌 号 Grade				
		IC	T	D	R	CJ1010	CJ1015	CJ2010	CJ2020	CJ4005
	TNMG160404R-VF	9.525	4.76	3.91	0.4			•		
	TNMG160408R-VF	9.525	4.76	3.91	0.8			•		
	TNMG160404L-VF	9.525	4.76	3.91	0.4			•		
	TNMG160408L-VF	9.525	4.76	3.91	0.8			•		
	WNMG080404R-VF	12.70	4.76	5.16	0.4			•		
	WNMG080408R-VF	12.70	4.76	5.16	0.8			•		
	WNMG080404L-VF	12.70	4.76	5.16	0.4			•		
	WNMG080408L-VF	12.70	4.76	5.16	0.8			•		
	TNMG220404-TC	12.70	4.76	5.16	0.4			•		
	TNMG220408-TC	12.70	4.76	5.16	0.4			•		
	TNMG220412-TC	12.70	4.76	5.16	0.4			•		
	CNMG120408-ZM	12.70	4.76	5.16	0.8					•
	CNMG120412-ZM	12.70	4.76	5.16	1.2					•
	CNMG120416-ZM	12.70	4.76	5.16	1.6					•
	WNMG080408-ZM	12.70	4.76	5.16	0.4					•
	WNMG080412-ZM	12.70	4.76	5.16	0.4					•
	CNMA120412-PB	12.70	4.76	5.16	1.2					•
	CNMA120416-PB	12.70	4.76	5.16	1.6					•
	TNMG220412-GH	12.70	4.76	5.16	1.2					•
	TNMG220416-GH	12.70	4.76	5.16	1.6					•